

## Common Medication Side Effects

*This list of medications is not all-inclusive, i.e.: there are many other common and uncommon medications in existence. Additionally, the side effects listed next to each medication do not entail all possible side effects that may occur.*

- **Abilify (Aripiprazole)** anxiety, agitation, dyspepsia, constipation, dizziness, insomnia, akathisia, headache disorder, nausea, vomiting, hypertriglyceridemia, increased appetite, tardive dyskinesia, extrapyramidal disease, orthostatic hypotension, pharyngitis, nasal congestion, arthralgia, myalgia, fever
- **Acetaminophen (Tylenol):** Rash, itching/swelling, severe dizziness, trouble breathing.
- **Adderall (Dextroamphetamine- amphetamine)** anxiety, false sense of well being, Insomnia, anorexia, nausea, vomiting, upper abdominal pain, nervousness, irritability, abnormal sexual function, libido changes, agitation, xerostomia, constipation, urinary tract infection, drowsy, urticaria, dizziness, fever
- **Adzenys (amphetamine)** anxiety, insomnia, anorexia, nausea, vomiting, upper abdominal pain, nervousness, irritability, libido changes, agitation, xerostomia, constipation, urinary tract infection, erectile dysfunction, drowsy, urticaria, dizziness, fever
- **Albuterol HFA (Proventil):** Nervousness, shaking (tremor), headache, mouth/throat dryness or irritation, changes in taste, cough, nausea or dizziness, raised blood pressure.
- **Albuterol Sulfate (Ventolin HFA)** Tremor, vomiting, nervousness, tachycardia, nausea, rhinitis, pharyngitis, back pain, upper respiratory infection, urinary tract infection, pain, viral gastroenteritis, pain in oropharynx, hypertension, sore throat, xerostomia, depression, drowsy, dizziness, mouth irritation
- **Aleve (Anaprox, Naprosyn, Naproxen):** body fluid retention, tinnitus, constipation, urticaria, drowsy, dizziness, skin rash, edema, headache disorder, nausea, heartburn, abnormal hepatic function tests, purpura, hemorrhage, blurred vision, hearing loss, ecchymosis, dyspepsia, vertigo.
- **Allegra (Fexofenadine Hydrochloride):** nausea, diarrhea, upset stomach, muscle or back discomfort or pain, sleepiness, drowsiness, tiredness, headache, and menstrual cramps, allergic reactions, fever, chills, body aches, cough, or other flu symptoms.
- **Amantadine (Gocovri, Osmolex ER, Symmetrel):** nervous, anxious, blurred vision, fainting, confusion, dizziness, bladder pain, seizures, mood changes.
- **Amphetamine (Adderall, Obetrol, Dexedrine):** anxiety, false sense of well being, Insomnia, anorexia, nausea, vomiting, upper abdominal pain, nervousness, irritability, abnormal sexual function, libido changes, agitation, xerostomia, constipation, urinary tract infection, drowsy, urticaria, dizziness, fever
- **Amitriptyline (Elavil):** drowsiness, dry mouth, dizziness, blurred vision, constipation, weight gain, trouble urinating, headache, increased hunger, and changes in taste.
- **Anaprox (Naprosyn, Aleve, Naproxen):** body fluid retention, tinnitus, constipation, urticaria, drowsy, dizziness, skin rash, edema, headache disorder, nausea, heartburn, abnormal hepatic function tests, purpura, hemorrhage, blurred vision, hearing loss, ecchymosis, dyspepsia, vertigo.
- **Aripiprazole (Abilify)** anxiety, agitation, dyspepsia, constipation, dizziness, insomnia, akathisia, headache disorder, nausea, vomiting, hypertriglyceridemia, increased appetite,

tardive dyskinesia, extrapyramidal disease, orthostatic hypotension, pharyngitis, nasal congestion, arthralgia, myalgia, fever

- **Benzotropine (Cogentin)** Blurred vision, dry nose, xerostomia, constipation, decreased sweating, drowsy, dry throat, nausea, vomiting, dysuria, paresthesia, urinary retention, fever, weakness, decreased sexual ability, severe stomach/ abdominal pain, painful swallowing
- **Blisovi Fe (ethinyl estradiol, norethindrone)** : nausea, vomiting, breast tenderness, breakthrough bleeding, headache, problems with contact lenses, swelling in hands, ankles or feet, depression, mood changes, increased blood pressure, liver problems, heart attack symptoms
- **Bocapia:** slow heart rate, slow transit in the intestines, worsen ulcers.
- **Budesonide (Pulmicort):** Dry/irritated throat, hoarseness, voice changes, bad taste in the mouth, runny nose, or nosebleeds, severe sudden worsening of breathing problems/asthma
- **Bupropion HCl (Wellbutrin):** symptoms of anxiety, agitation, tinnitus, pharyngitis, xerostomia, constipation, arthralgia, concentration difficulty, dizziness, insomnia, hyperhidrosis, tremor, anorexia, weight loss, palpitations, nausea, diarrhea, acute abdominal pain, nervousness, dream disorder
- **Buspir (Buspirone):** blurred vision, dizziness, drowsiness, excitability, lightheadedness, headache, and nausea. For the following side effects, please seek medical attention immediately: severe allergic reactions such as rash, hives, difficulty breathing, tightness of the chest (seek medical attention immediately), swelling of the mouth face, or tongue, unusual hoarseness, abnormal muscle movements, chest pain, fainting, fever, irregular heartbeat, loss of coordination, memory problems, new or worsening mental mood or personality changes (anger, hostility, confusion, and depression), seizures, suicidal thoughts or actions, unusual restlessness, vision changes.
- **Caldolor (Ibuprofen):** Upset stomach, nausea, vomiting, headache, diarrhea, constipation, dizziness, or drowsiness, raised blood pressure, easy bruising/bleeding, hearing changes (such as ringing in the ears), mental/mood changes, unexplained stiff neck, signs of kidney problems (such as change in the amount of urine), vision changes, symptoms of heart failure (such as swelling ankles/feet, unusual tiredness, unusual/sudden weight gain
- **Catapres TTS-2, TTS-3, TTS-1 (Clonidine):** Xerostomia, Constipation, skin inflammation, erythema, drowsy, dizziness, fatigue, weakness, body fluid retention, abnormal sexual function, depression, dry eye, ocular irritation, ocular itching, orthostatic hypotension, erectile dysfunction, edema, skin thickening, anorexia
- **Celexa (citalopram)** Abnormal sexual function, xerostomia, drowsy, insomnia, hyperhidrosis, nausea, acute cognitive impairment, symptoms of anxiety, libido changes, agitation, orthostatic hypotension, rhinitis, sinusitis, sialorrhea, dyspepsia, dysmenorrhea, erectile dysfunction, menstrual disorder, pruritus of skin
- **Cephalexin (Keflex):** Nausea, Vomiting, Diarrhea, Dyspepsia, Acute abdominal pain, Vulvovaginal candidiasis, gastritis
- **Cetirizine (Zyrtec):** drowsiness, fatigue, tired feeling, dizziness, dry mouth, sore throat, cough, nausea, constipation, or headache
- **Ciprodex (Ciprofloxacin-dexamethasone)** Ear itching, Earache, Ear irritation
- **Citalopram (Celaxa)** Abnormal sexual function, xerostomia, drowsy, insomnia, hyperhidrosis, nausea, acute cognitive impairment, symptoms of anxiety, libido changes, agitation, orthostatic hypotension, rhinitis, sinusitis, sialorrhea, dyspepsia, dysmenorrhea, erectile dysfunction, menstrual disorder, pruritus of skin

- **Claritin (Loratadine):** sleepiness, tiredness, stomach pain, headache, dry eyes, dry mouth, dry throat, diarrhea, an opposite reaction in which you feel excited, jittery, or nervous, known as paradoxical CNS stimulation instead of drowsy or sleepy.
- **Clonazepam (Klonopin):** drowsiness, dizziness, weakness, unsteadiness, depression, loss of orientation, headache, sleep disturbances, problems with thinking or memory, slurred speech, dry mouth, sore gums, runny nose, loss of appetite, diarrhea, constipation, and blurred vision.
- **Clonidine (Catapres-TTS-2, Catapres- TTS-3, Catapres-TTS-1)** Xerostomia, Constipation, skin inflammation, erythema, drowsy, dizziness, fatigue, weakness, body fluid retention, abnormal sexual function, depression, dry eye, ocular irritation, ocular itching, orthostatic hypotension, erectile dysfunction, edema, skin thickening, anorexia
- **Clonidine (Kapvay)** drowsiness, headaches, fatigue, upper respiratory infection, irritability, anxiety, sore throat, dizziness, insomnia, nightmares, emotional disorder, diarrhea, abdominal pain, nausea, nasal congestion, asthma, increased body temperature, dry mouth, thirst, tremors, ear pain, bed wetting, daytime urinary frequency, slow heartrate, aggression, tearfulness, decreased appetite, increase heartrate.
- **Cogentin (Benztropine)** Blurred vision, dry nose, xerostomia, constipation, decreased sweating, drowsy, dry throat, nausea, vomiting, dysuria, paresthesia, urinary retention, fever, weakness, decreased sexual ability, severe stomach/ abdominal pain, painful swallowing.
- **Concerta (Methylphenidate HCl, Ritalin)** Excitement, xerostomia, insomnia, hyperhidrosis, anorexia, weight loss, headachd disorder, nausea, upper abdominal pain, irritability, thrombocytopenic disorder, hypertension, angina, upper respiratory infection, aggressive behavior, arthralgia, urticaria
- **Depade (Naltrexone, Revia, Trexan):** Anxiety, allergic dermatitis, myalgia, insomnia, fatigue, skin rash, headache, nausea, vomiting, abdominal pain with cramps, angioedema, sore throat, sinusitis, nasal congestion, rhinorrhea, constipation, dizziness, chills, anorexia
- **Depakote (Divalproex):** infection, depression, diplopia, dyspepsia, constipation, bronchitis, irregular menstrual periods, drowsy, dizziness, insomnia, fever, flu-like symptoms, weakness, tremor, peripheral edema
- **Desyrel (Trazodone)** Hypotension, xerostomia, constipation, drowsy, dizziness, fatigue, dysgeusia, headache disorder, nausea, vomiting, acute cognitive impairment, myalgia, tremor, hypertension, syncope, concentration difficulty, weight gain
- **Dexmethylphenidate Hydrochloride (Focalin):** trouble sleeping (insomnia), dizziness, dry mouth, sore throat, heartburn, nausea, stomach pain, upset stomach, headache, nervousness, restlessness, anxiety, feeling jittery, loss of appetite, or weight loss, numbness/pain/skin color change/sensitivity to temperature in the fingers or toes, fast/pounding/irregular heartbeat, mental/mood/behavior changes (such as agitation, aggression, mood swings, abnormal thoughts, thoughts of suicide), uncontrolled muscle movements (such as twitching, shaking), sudden outbursts of words or sounds that are hard to control, or vision changes (such as blurred vision)
- **Diphenoxylate-atropine (Lomotil)** Drowsiness, dizziness, headache, tiredness, blurred vision, dry mouth, loss of appetite.
- **Ditropan XL (Oxybutynin Chloride):** dry mouth, dizziness, drowsiness, blurred vision, dry eyes, nausea, vomiting, upset stomach, stomach pain, constipation, diarrhea, headache, unusual taste in mouth, dry/flushed skin, and weakness.

- **Divalproex (Depakote):** infection, depression, diplopia, dyspepsia, constipation, bronchitis, irregular menstrual periods, drowsy, dizziness, insomnia, fever, flu-like symptoms, weakness, tremor, peripheral edema
- **Effexor (Venlafaxine):** symptoms of anxiety, libido changes, blurred vision, visual changes, xerostomia, constipation, drowsy, dizziness, insomnia, weakness, hyperhidrosis, tremor, dysgeusia, paresthesia, anorexia, headache disorder, nausea, vomiting.
- **Epi-pen 0.3mg injection (epinephrine injector):** nausea or vomiting, difficulty breathing, pounding, fast, or irregular heartbeat, pale skin, headache, sweating, dizziness, nervousness, anxiety, or restlessness.
- **Escitalopram Oxalate (Lexapro)** Xerostomia, drowsy, dizziness, insomnia, fatigue, hyperhidrosis, nausea, diarrhea, libido changes, rhinitis, sinusitis, constipation, erectile dysfunction, flu-like symptoms, anorexia, abdominal pain, dyspepsia, paresthesia
- **Eszopiclone (Lunesta):** viral infection, anxiety, xerostomia, drowsy, dizziness, dysgeusia, skin rash, headache, upper respiratory infection, infection, dyspepsia, urinary tract infection, hallucinations, pain, nausea, vomiting, nervousness, peripheral edema
- **Ethinyl estradiol (Blisovi Fe, norethindrone)** nausea, vomiting, breast tenderness, breakthrough bleeding, headache, problems with contact lenses, swelling in hands, ankles or feet, depression, mood changes, increased blood pressure, liver problems, heart attack symptoms.
- **Fanapt (Iloperidone)** nasal congestion, urinary incontinence, libido changes, weight gain, aggressive behavior, Extrapyramidal disease, muscle spasm, orthostatic hypotension, xerostomia, tachycardia, conjunctivitis, nausea, drowsy, dizziness, fatigue, myalgia, hyperprolactinemia, acute cognitive, impairment, dyspnea, blurred vision.
- **Fexofenadine Hydrochloride (Allegra):** nausea, diarrhea, upset stomach, muscle or back discomfort or pain, sleepiness, drowsiness, tiredness, headache, and menstrual cramps, allergic reactions, fever, chills, body aches, cough, or other flu symptoms.
- **Fenofibrate (Tricor, Triglide, Fenoglide, Lipofen)** Rhinitis, libido changes, constipation, skin photosensitivity, back pain, myalgia, dizziness, flu-like symptoms, weakness, skin rash, headache, nausea, flatulence
- **Fenoglide (Fenofibrate, Tricor, Triglide, Lipofen)** Rhinitis, libido changes, constipation, skin photosensitivity, back pain, myalgia, dizziness, flu-like symptoms, weakness, skin rash, headache, nausea, flatulence
- **Flaxseed oil:** Flatulence, nausea, diarrhea
- **Fish Oil:** Fishy aftertaste or bad breath, heartburn, nausea, diarrhea, acid reflux, bleeding gums, nosebleeds, high blood sugar, increased blood pressure, low blood pressure or stroke, rash or vitamin A toxicity, headache, memory loss, depression or insomnia
- **Flonase (Fluticasone Propionate)** nasal dryness, irritation, nausea, or vomiting, eye pain, facial pain, signs of nasal damage (such as pain, severe nosebleeds, a constant whistling sound from your nose), white patches in your nose/back of your throat, pain when swallowing, persistent sore throat.
- **Fluorometholone (FML Forte):** Stinging/burning of the eyes for 1 to 2 minutes and temporary blurred vision, use of this medication for prolonged periods or in high doses may cause serious eye problems (such as high pressure inside the eyes and cataracts), greater risk of developing an eye infection, especially with prolonged use
- **Fluticasone Propionate (Flonase):** nasal dryness, irritation, nausea, or vomiting, eye pain, facial pain, signs of nasal damage (such as pain, severe nosebleeds, a constant whistling

sound from your nose), white patches in your nose/back of your throat, pain when swallowing, persistent sore throat.

- **Fluoxetine (Prozac, Sarafem):** anxiety, xerostomia, erectile dysfunction, sinusitis, drowsy, dizziness, insomnia, flu-like symptoms, general weakness, hyperhidrosis, tremor, skin rash, anorexia, pharyngitis, headache, yawning, nausea, diarrhea, nervousness
- **Fluvoxamine (Luvox):** nausea, diarrhea, gas, loss of appetite, increased sweating, mild skin rash, dizziness, drowsiness, weakness, yawning, anxiety, sleep problems (insomnia), dry mouth, sore throat, heavy menstrual periods, muscle pain
- **FML Forte (Fluorometholone):** Stinging/burning of the eyes for 1 to 2 minutes and temporary blurred vision, use of this medication for prolonged periods or in high doses may cause serious eye problems (such as high pressure inside the eyes and cataracts), greater risk of developing an eye infection, especially with prolonged use.
- **Focalin (Dexmethylphenidate)** trouble sleeping (insomnia), dizziness, dry mouth, sore throat, heartburn, nausea, stomach pain, upset stomach, headache, nervousness, restlessness, anxiety, feeling jittery, loss of appetite, or weight loss, numbness/pain/skin color change/sensitivity to temperature in the fingers or toes, fast/pounding/irregular heartbeat, mental/mood/behavior changes (such as agitation, aggression, mood swings, abnormal thoughts, thoughts of suicide), uncontrolled muscle movements (such as twitching, shaking), sudden outbursts of words or sounds that are hard to control, or vision changes (such as blurred vision)
- **Gabapentin (Neurontin)** Drowsy, Nystagmus, dizziness, fatigue, ataxia, sedation, peripheral edema, mood changes, depression, hostility, hyperkinesia, diplopia, blurred vision, xerostomia, back pain, memory impairment, altered mental status, general weakness, malaise, tremor.
- **Geodon (Ziprasidone HCl)** Extrapyramidal disease, Sialorrhea, Constipation, Drowsy, Dizziness, weakness, Akathisia, Skin rash, weight gain, headache, nausea, visual changes, orthostatic hypotension, upper respiratory infection, rhinitis, xerostomia, dyspepsia, myalgia
- **Glucophage (Metformin):** Upper respiratory infection, Headache, Nausea, Vomiting, Flatulence, Vitamin B12 deficiency, Diarrhea, Abdominal distension, weight loss, constipation, dizziness, palpitations, flushing, nail disorders, hyperhidrosis, dyspnea
- **Gocovri (Amantadine, Osmolex ER, Symmetrel)** nervous, anxious, blurred vision, fainting, confusion, dizziness, bladder pain, seizures, mood changes.
- **Guaifenesin HCL (Mucinex) :** rash, hives, itching, red, swollen, blistered, or peeling skin with or without fever, wheezing, tightness in the chest or throat, trouble breathing or talking, unusual hoarseness, or swelling of the mouth, face, lips, tongue, or throat.
- **Guanfacine (Intuniv)** drowsiness, dizziness, dry mouth, constipation, tiredness, nausea, headache
- **Hydrochlorothiazide (Microzide):** Upset stomach, dizziness, or headache, lightheadedness, decrease in vision, eye pain, loss of too much body water (dehydration) and salt/minerals, extreme thirst, very dry mouth, muscle cramps/weakness, slow/fast/irregular heartbeat, confusion, decreased urination.
- **Hydroxyzine pamoate (Vistaril):** Drowsiness, Xerostomia, dizziness, blurred vision, constipation, dry mouth, mental/mood changes, shaking, difficulty urinating.
- **Ibuprofen:** Upset stomach, nausea, vomiting, headache, diarrhea, constipation, dizziness, or drowsiness, raised blood pressure, easy bruising/bleeding, hearing changes (such as ringing in the ears), mental/mood changes, unexplained stiff neck, signs of kidney problems (such as

change in the amount of urine), vision changes, symptoms of heart failure (such as swelling ankles/feet, unusual tiredness, unusual/sudden weight gain)

- **Iloperidone (Fanapt):** nasal congestion, urinary incontinence, libido changes, weight gain, aggressive behavior, Extrapyrarnidal disease, muscle spasm, orthostatic hypotension, xerostomia, tachycardia, conjunctivitis, nausea, drowsy, dizziness, fatigue, myalgia, hyperprolactinemia, acute cognitive, impairment, dyspnea, blurred vision.
- **Intal Nebulizer (cromolyn sodium):** dry or irritated throat, sneezing, stuffy or itchy nose, watery eyes, nosebleed, burning feeling in the nose, nausea, stomach pain, heartburn, frequent urination or urinating less than usual, dizziness, drowsiness, headache, temporary or occasional cough, or unusual or unpleasant taste in your mouth.
- **Intuniv (Guanfacine)** drowsiness, dizziness, dry mouth, constipation, tiredness, nausea, headache
- **Invega (Paliperidone):** elevated blood glucose levels, extreme thirst or hunger, frequent urination, weakness, blurred vision, dry mouth, nausea and/ or vomiting, shortness of breath, breath that smells fruity, loss of consciousness, in rare cases invega can cause a serious movement disorder that may not be reversible, difficulty having body cool down after getting hot
- **Junel:** nausea, vomiting, breast tenderness, bloating or water retention, weight change, vaginal itching, menstrual cramps or irregular periods, mood changes, abdominal pain , acne
- **Kapvay (Clonidine):** drowsiness, headaches, fatigue, upper respiratory infection, irritability, anxiety, sore throat, dizziness, insomnia, nightmares, emotional disorder, diarrhea, abdominal pain, nausea, nasal congestion, asthma, increased body temperature, dry mouth, thirst, tremors, ear pain, bed wetting, daytime urinary frequency, slow heartrate, aggression, tearfulness, decreased appetite, increase heartrate
- **Keflex (Cephalexin) :** Nausea, Vomiting, Diarrhea, Dyspepsia, Acute abdominal pain, Vulvovaginal candidiasis, gastritis
- **Keppra (Levetiracetam)** Infection, pharyngitis,drowsy,dizziness,fatigue, weakness, anorexia, headache, irritability, eosinophilia, nasal congestion, mood changes, anxiety, depersonalization, agitation, depression, aggressive behavior, hostility, hyperkinesis, diplopia
- **Klonopin (Clonazepam):** drowsiness, dizziness, weakness, unsteadiness, depression, loss of orientation, headache, sleep disturbances, problems with thinking or memory, slurred speech, dry mouth, sore gums, runny nose, loss of appetite, diarrhea, constipation, and blurred vision.
- **Labetalol (Normodyne, Trandate)** abnormal sexual function, bronchospastic pulmonary disease, drug-induced hepatitis, drowsy, dizziness, insomnia, fatigue, weakness, nausea, vomiting, paresthesia, obstructive hyperbilirubinemia, angioedema, anxiety, depression, chronic heart failure, nasal congestion, constipation, diarrhea
- **Lamictal (Lamotrigine):** tremors, dizziness, tired feeling, blurred vision, double vision, loss of coordination, dry mouth, mild nausea, stomach pain, upset stomach, changes in your menstrual periods, back pain, sleep problems (insomnia); or runny nose, sore throat.
- **Lamotrigine (Lamictal):** tremors, dizziness, tired feeling, blurred vision, double vision, loss of coordination, dry mouth, mild nausea, stomach pain, upset stomach, changes in your menstrual periods, back pain, sleep problems (insomnia); or runny nose, sore throat.

- **Lansoprazole (Prevacid)** upper respiratory infection, constipation, pruritus of skin, dizziness, skin rash, nausea, diarrhea, acute abdominal pain, appetite changes, headache, cramps, musculoskeletal pain, arthralgia, pain in oropharynx
- **Latuda HCL (lurasidone hydrochloride):** tablets drowsiness, dizziness, nausea, diarrhea, stomach pain, loss of appetite, shaking, muscle stiffness, weight gain, mask-like facial expression, inability to keep still, restlessness, agitation, blurred vision, breast swelling or discharge missed menstrual.
- **Levetiracetam (Keppra):** Infection pharyngitis, drowsiness, dizziness, fatigue, weakness, anorexia, headache, irritability, eosinophilia, nasal congestion, mood changes, anxiety, depersonalization, agitation, depression, aggressive behavior, hostility, hyperkinesia, diplopia
- **Levothyroxine (Synthroid, Levoxyl)** female infertility, hypertension, weight loss, osteopenia
- **Levoxyl (Synthroid, Levothyroxine):** female infertility, hypertension, weight loss, osteopenia
- **Lexapro (Escitalopram Oxalate):** Xerostomia, drowsy, dizziness, insomnia, fatigue, hyperhidrosis, nausea, diarrhea, libido changes, rhinitis, sinusitis, constipation, erectile dysfunction, flu-like symptoms, anorexia, abdominal pain, dyspepsia, paresthesia
- **Lipofen (Fenofibrate, Tricor, Triglide, Fenoglide):** Rhinitis, libido changes, constipation, skin photosensitivity, back pain, myalgia, dizziness, flu-like symptoms, weakness, skin rash, headache, nausea, flatulence
- **Lisdexamfetamine (Vyvanse):** anxiety, insomnia, anorexia, nausea, vomiting, upper abdominal pain, nervousness, irritability, libido changes, agitation, xerostomia, constipation, urinary tract infection, erectile dysfunction, drowsy, urticaria, dizziness, fever
- **Lomotil (Diphenoxylate-atropine)** Drowsiness, dizziness, headache, tiredness, blurred vision, dry mouth, loss of appetite.
- **Loratadine (Claritin):** sleepiness, tiredness, stomach pain, headache, dry eyes, dry mouth, dry throat, diarrhea, an opposite reaction in which you feel excited, jittery, or nervous, known as paradoxical CNS stimulation instead of drowsy or sleepy.
- **Lunesta (Eszopiclone)** viral infection, anxiety, xerostomia, drowsy, dizziness, dysgeusia, skin rash, headache, upper respiratory infection, infection, dyspepsia, urinary tract infection, hallucinations, pain, nausea, vomiting, nervousness, peripheral edema
- **Lurasidone Hydrochloride (Latuda HCL):** tablets drowsiness, dizziness, nausea, diarrhea, stomach pain, loss of appetite, shaking, muscle stiffness, weight gain, mask-like facial expression, inability to keep still, restlessness, agitation, blurred vision, breast swelling, or discharge missed menstrual.
- **Luvox (fluvoxamine):** nausea, diarrhea, gas, loss of appetite, increased sweating, mild skin rash, dizziness, drowsiness, weakness, yawning, anxiety, sleep problems (insomnia), dry mouth, sore throat, heavy menstrual periods, muscle pain.
- **Magnesium Bisglycinate:** an increase in stomach gas or bloating.
- **Melatonin:** Dizziness, headache, sedation hangover effect, concentration difficulty, hypotension, irritability, depression, tremor, anxiety, abdominal pain with cramps, nausea, vomiting, CNS depression

- **Meloxicam (Mobic, Vivlodex):** stomach upset, nausea, drowsiness, diarrhea, bloating, gas, dizziness, nervousness, headache, runny or stuffy nose, sore throat, or skin rash, chest pain, weakness, shortness of breath, slurred speech, problems with vision or balance; black, bloody, or tarry stools; coughing up blood or vomit that looks like coffee grounds; or swelling or rapid weight gain.
- **Metformin (Glucophage)** Upper respiratory infection, Headache, Nausea, Vomiting, Flatulence, Vitamin B12 deficiency, Diarrhea, Abdominal distension, weight loss, constipation, dizziness, palpitations, flushing, nail disorders, hyperhidrosis, dyspnea
- **Methylphenidate HCl (Concerta, Ritalin):** Excitement, xerostomia, insomnia, hyperhidrosis, anorexia, weight loss, headache disorder, nausea, upper abdominal pain, irritability, thrombocytopenic disorder, hypertension, angina, upper respiratory infection, aggressive behavior, arthralgia, urticaria
- **Microzide (Hydrochlorothiazide)** Upset stomach, dizziness, or headache, lightheadedness, decrease in vision, eye pain, loss of too much body water (dehydration) and salt/minerals, extreme thirst, very dry mouth, muscle cramps/weakness, slow/fast/irregular heartbeat, confusion, decreased urination.
- **Mineral Oil:** rectal seepage, anal irritation, pruritus, rectal reflex impairment, infection/impaired healing of anorectal lesions.
- **Miralax (Polyethylene):** nausea, abdominal cramping, bloating, upset stomach, gas, dizziness, or increased sweating.
- **Minipress (prazosin):** dizziness, drowsiness, lightheadedness, headache, lack of energy, weakness, palpitations (feel like your heart is racing or fluttering), nausea.
- **Mobic (Meloxicam, Vivlodex):** stomach upset, nausea, drowsiness, diarrhea, bloating, gas, dizziness, nervousness, headache, runny or stuffy nose, sore throat, or skin rash, chest pain, weakness, shortness of breath, slurred speech, problems with vision or balance; black, bloody, or tarry stools; coughing up blood or vomit that looks like coffee grounds; or swelling or rapid weight gain.
- **Montelukast (Singulair):** mental/mood changes (such as agitation, aggression, anxiety, trouble sleeping, abnormal dreams, sleepwalking, memory/attention problems, depression, hallucinations, thoughts of harming yourself/suicide), numbness/tingling/shooting pain in the arms or legs, sinus pain/swelling, muscle weakness, uncontrolled muscle movements, stuttering.
- **Mucinex (Guaifenesin HCL):** rash, hives, itching, red, swollen, blistered, or peeling skin with or without fever, wheezing, tightness in the chest or throat, trouble breathing or talking, unusual hoarseness, or swelling of the mouth, face, lips, tongue, or throat.
- **NAC (N-ACETYL Cysteine):** difficulty breathing or swallowing, fever, hives, itching, nausea, rash, fever, reddening of the skin, vomiting, swelling of the eyes face or inside the nose, unusual tiredness or weakness.
- **Naltrexone (Revia, Depade, Trexan) Anxiety,** allergic dermatitis, myalgia, insomnia, fatigue, skin rash, headache, nausea, vomiting, abdominal pain with cramps, angioedema, sore throat, sinusitis, nasal congestion, rhinorrhea, constipation, dizziness, chills, anorexia
- **Naprosyn (Naproxen, Aleve, Anaprox):** body fluid retention, tinnitus, constipation, urticaria, drowsy, dizziness, skin rash, edema, headache disorder, nausea, heartburn, abnormal hepatic function tests, purpura, hemorrhage, blurred vision, hearing loss, ecchymosis, dyspepsia, vertigo.



- **Naproxen (Aleve, Anaprox, Naprosyn):** body fluid retention, tinnitus, constipation, urticaria, drowsy, dizziness, skin rash, edema, headache disorder, nausea, heartburn, abnormal hepatic function tests, purpura, hemorrhage, blurred vision, hearing loss, ecchymosis, dyspepsia, vertigo.
- **Neurontin (Gabapentin):** Drowsy, Nystagmus, dizziness, fatigue, ataxia, sedation, peripheral edema, mood changes, depression, hostility, hyperkinesia, diplopia, blurred vision, xerostomia, back pain, memory impairment, altered mental status, general weakness, malaise, tremor.
- **Norethindrone (Blisovi Fe, Ethinyl estradiol)** nausea, vomiting, breast tenderness, breakthrough bleeding, headache, problems with contact lenses, swelling in hands, ankles or feet, depression, mood changes, increased blood pressure, liver problems, heart attack symptoms.
- **Normodyne (Labetalol, Trandate):** abnormal sexual function, bronchospastic pulmonary disease, drug-induced hepatitis, drowsy, dizziness, insomnia, fatigue, weakness, nausea, vomiting, paresthesia, obstructive hyperbilirubinemia, angioedema, anxiety, depression, chronic heart failure, nasal congestion, constipation, diarrhea
- **Omeprazole (Prilosec):** Headache or abdominal pain, a low magnesium blood level (such as unusually fast/slow/irregular heartbeat, persistent muscle spasms, seizures), signs of lupus (such as rash on nose and cheeks, new or worsening joint pain)
- **Osmolex ER (Amantadine, Gocovri, Symmetrel)** nervous, anxious, blurred vision, fainting, confusion, dizziness, bladder pain, seizures, mood changes.
- **Oxybutynin Chloride (Ditropan XL):** dry mouth, dizziness, drowsiness, blurred vision, dry eyes, nausea, vomiting, upset stomach, stomach pain, constipation, diarrhea, headache, unusual taste in mouth, dry/flushed skin, and weakness.
- **Paliperidone (Invega):** elevated blood glucose levels, extreme thirst or hunger, frequent urination, weakness, blurred vision, dry mouth, nausea and/ or vomiting, shortness of breath, breath that smells fruity, loss of consciousness, in rare cases Invega can cause a serious movement disorder that may not be reversible, difficulty having body cool down after getting hot.
- **Paxil (Paroxetine HCl)** visual changes, libido, drowsy, dizziness, insomnia, weakness, hyperhidrosis, tremor, anorexia, headache, nausea, diarrhea, dysuria, urinary retention, nervousness
- **Polyethylene (MiraLAX):** nausea, abdominal cramping, bloating, upset stomach, gas, dizziness, or increased sweating.
- **Polytrim (Polymyxin B Sulf-trimethoprim)** ocular inflammation, ocular redness, ocular itching, ocular irritation, rash, itching, dizziness, trouble breathing.
- **Prazosin (Minipress):** dizziness, drowsiness, lightheadedness, headache, lack of energy, weakness, palpitations (feel like your heart is racing or fluttering), nausea.
- **Prevacid (Lansoprazole):** upper respiratory infection, constipation, pruritus of skin, dizziness, skin rash, nausea, diarrhea, acute abdominal pain, appetite changes, headache, cramps, musculoskeletal pain, arthralgia, pain in oropharynx
- **Prilosec (Omeprazole):** Headache or abdominal pain, a low magnesium blood level (such as unusually fast/slow/irregular heartbeat, persistent muscle spasms, seizures), signs of lupus (such as rash on nose and cheeks, new or worsening joint pain)

- **ProAir inhaler (albuterol sulfate):** headache, dizziness, sleep problems (insomnia), cough, hoarseness, sore throat, runny or stuffy nose, mild nausea, vomiting, dry mouth and throat, muscle pain; or diarrhea.
- **Prozac (Fluoxetine, Sarafem) anxiety,** xerostomia, erectile dysfunction, sinusitis, drowsy, dizziness, insomnia, flu-like symptoms, general weakness, hyperhidrosis, tremor, skin rash, anorexia, pharyngitis, headache, yawning, nausea, diarrhea, nervousness
- **Pulmicort (Budesonide):** Dry/irritated throat, hoarseness, voice changes, bad taste in the mouth, runny nose, or nosebleeds, severe sudden worsening of breathing problems/asthma
- **Qdolo (Tramadol, Ultram):** xerostomia, constipation, pruritus of skin, drowsy, dizziness, insomnia, headache, nausea, vomiting, vertigo, flushing, acute cognitive impairment, anxiety, hypertension, vasodilation of blood vessels, dyspepsia, weakness, hyperhidrosis, orthostatic hypotension, skin rash
- **Quetiapine (Seroquel)** Orthostatic hypotension, pharyngitis, xerostomia, dyspepsia, constipation, drowsy, dizziness, insomnia, weakness, weight gain, headache disorder, lethargy, hypercholesterolemia, hypertriglyceridemia, leukopenia, suicidal ideation, parkinsonism, visual changes, abnormal hepatic function tests, hypotension
- **Revia (Naltrexone, Depade, Trexan):** Anxiety, allergic dermatitis, myalgia, insomnia, fatigue, skin rash, headache, nausea, vomiting, abdominal pain with cramps, angioedema, sore throat, sinusitis, nasal congestion, rhinorrhea, constipation, dizziness, chills, anorexia
- **Risperdal (Risperidone)** Dyskinesia, symptoms of anxiety, abnormal sexual function, libido changes, agitation, parkinsonism, acquired dystonia, extrapyramidal disease, blurred vision, visual changes, pharyngitis, upper respiratory infection, rhinitis, xerostomia, dyspepsia, constipation, pruritus of skin, altered mental status, drowsy.
- **Ritalin (Methylphenidate HCl, Concerta)** Excitement, xerostomia, insomnia, hyperhidrosis, anorexia, weight loss, headache disorder, nausea, upper abdominal pain, nervousness, acute abdominal pain, irritability, thrombocytopenic disorder, hypertension, angina, pharyngitis, upper respiratory infection, urticaria, arthralgia, aggressive behavior
- **Sarafem (Prozac, Fluoxetine):** anxiety, xerostomia, erectile dysfunction, sinusitis, drowsy, dizziness, insomnia, flu-like symptoms, general weakness, hyperhidrosis, tremor, skin rash, anorexia, pharyngitis, headache, yawning, nausea, diarrhea, nervousness
- **Senna:** abdominal pain with cramps, nausea, eructation, diarrhea
- **Seroquel (Quetiapine):** Orthostatic hypotension, pharyngitis, xerostomia, dyspepsia, constipation, drowsy, dizziness, insomnia, weakness, weight gain, headache disorder, lethargy, hypercholesterolemia, hypertriglyceridemia, leukopenia, suicidal ideation, parkinsonism, visual changes, abnormal hepatic function tests, hypotension
- **Singulair (Montelukast):** mental/mood changes (such as agitation, aggression, anxiety, trouble sleeping, abnormal dreams, sleepwalking, memory/attention problems, depression, hallucinations, thoughts of harming yourself/suicide), numbness/tingling/shooting pain in the arms or legs, sinus pain/swelling, muscle weakness, uncontrolled muscle movements, stuttering.
- **Sulfamethoxazole and Trimethoprim (Bactrim or Septra):** stomach ache, vomiting, anorexia, or loss of appetite, itchiness, rash, hives, headache, abdominal pain or diarrhea, insomnia, mild tiredness, mild weakness, sore throat and cough, severe, prolonged diarrhea that may occur with fever and stomach cramps, which possibly indicates a *C. difficile* infection, fever or chills, trouble breathing, unusual bruising or bleeding, yellowing of the

skin and eyes (jaundice), joint or muscle pain, spots on the skin that are purple or reddish (purpura), paleness, depression

- **Super B Complex Key B-vitamins:** diarrhea, flatus, nausea.
- **Symmetrel (Amantadine, Gocovri, Osmolex ER)** nervous, anxious, blurred vision, fainting, confusion, dizziness, bladder pain, seizures, mood changes.
- **Synthroid (Levothyroxine, Levoxyl):** female infertility, hypertension, weight loss, osteopenia
- **Topamax (Topiramate):** anxiety, ataxia, confusion, diarrhea, diplopia, dizziness, drowsiness, dysphasia, fatigue, lack of concentration, memory impairment, nausea, nervousness, paresthesia, psychomotor disturbance, speech disturbance, depression, visual disturbance, weight loss, dysgeusia, mood changes, and anorexia.
- **Topiramate (Topamax):** anxiety, ataxia, confusion, diarrhea, diplopia, dizziness, drowsiness, dysphasia, fatigue, lack of concentration, memory impairment, nausea, nervousness, paresthesia, psychomotor disturbance, speech disturbance, depression, visual disturbance, weight loss, dysgeusia, mood changes, and anorexia
- **Tramadol (Qdolo, Ultram)** xerostomia, constipation, pruritus of skin, drowsy, dizziness, insomnia, headache, nausea, vomiting, vertigo, flushing, acute cognitive impairment, anxiety, hypertension, vasodilation of blood vessels, dyspepsia, weakness, hyperhidrosis, orthostatic hypotension, skin rash
- **Trandate (Labetalol, Normodyne):** abnormal sexual function, bronchospastic pulmonary disease, drug-induced hepatitis, drowsy, dizziness, insomnia, fatigue, weakness, nausea, vomiting, paresthesia, obstructive hyperbilirubinemia, angioedema, anxiety, depression, chronic heart failure, nasal congestion, constipation, diarrhea
- **Trazodone (Desyrel)** Hypotension, xerostomia, constipation, drowsy, dizziness, fatigue, dysgeusia, headache disorder, nausea, vomiting, acute cognitive impairment, myalgia, tremor, hypertension, syncope, concentration difficulty, weight gain
- **Trexan (Naltrexone, Revia, Depade):** Anxiety, allergic dermatitis, myalgia, insomnia, fatigue, skin rash, headache, nausea, vomiting, abdominal pain with cramps, angioedema, sore throat, sinusitis, nasal congestion, rhinorrhea, constipation, dizziness, chills, anorexia
- **Tricor (Fenofibrate, Triglide, Fenoglide, Lipofen):** Rhinitis, libido changes, constipation, skin photosensitivity, back pain, myalgia, dizziness, flu-like symptoms, weakness, skin rash, headache, nausea, flatulence
- **Triglide (Fenofibrate, Tricor, fenoglide, Lipofen)** Rhinitis, libido changes, constipation, skin photosensitivity, back pain, myalgia, dizziness, flu-like symptoms, weakness, skin rash, headache, nausea, flatulence
- **Tylenol (Acetaminophen):** Rash, itching/swelling, severe dizziness, trouble breathing.
- **Ultram (Tramadol, Qdolo):** xerostomia, constipation, pruritus of skin, drowsy, dizziness, insomnia, headache, nausea, vomiting, vertigo, flushing, acute cognitive impairment, anxiety, hypertension, vasodilation of blood vessels, dyspepsia, weakness, hyperhidrosis, orthostatic hypotension, skin rash.
- **Venlafaxine (Effexor)** symptoms of anxiety, libido changes, blurred vision, visual changes, xerostomia, constipation, drowsy, dizziness, insomnia, weakness, hyperhidrosis, tremor, dysgeusia, paresthesia, anorexia, headache disorder, nausea, vomiting
- **Ventolin (Albuterol sulfate)** Tremor, vomiting, nervousness, tachycardia, nausea, rhinitis, pharyngitis, back pain, upper respiratory infection, urinary tract infection, pain, viral

gastroenteritis, pain in oropharynx, hypertension, sore throat, xerostomia, depression, drowsy, dizziness, mouth irritation

- **Vistaril (Hydroxyzine pamoate)** Drowsiness, Xerostomia, dizziness, blurred vision, constipation, dry mouth, mental/mood changes, shaking, difficulty urinating.
- **Vivlodex (Meloxicam, Mobic):** stomach upset, nausea, drowsiness, diarrhea, bloating, gas, dizziness, nervousness, headache, runny or stuffy nose, sore throat, or skin rash, chest pain, weakness, shortness of breath, slurred speech, problems with vision or balance; black, bloody, or tarry stools; coughing up blood or vomit that looks like coffee grounds; or swelling or rapid weight gain.
- **Vyvanse (Lisdexamfetamine)** anxiety, insomnia, anorexia, nausea, vomiting, upper abdominal pain, nervousness, irritability, libido changes, agitation, xerostomia, constipation, urinary tract infection, erectile dysfunction, drowsy, urticaria, dizziness, fever
- **Wellbutrin (Bupropion HCl)** symptoms of anxiety, agitation, tinnitus, pharyngitis, xerostomia, constipation, arthralgia, concentration difficulty, dizziness, insomnia, hyperhidrosis, tremor, anorexia, weight loss, palpitations, nausea, diarrhea, acute abdominal pain, nervousness, dream disorder
- **Ziprasidone HCl (Geodon):** Extrapyramidal disease, Sialorrhea, Constipation, Drowsy, Dizziness, weakness, Akathisia, Skin rash, weight gain, headache, nausea, visual changes, orthostatic hypotension, upper respiratory infection, rhinitis, xerostomia, dyspepsia, myalgia
- **Zyrtec (Cetirizine):** drowsiness, fatigue, tired feeling, dizziness, dry mouth, sore throat, cough, nausea, constipation, or headache.